

Control Solutions LLC 2520 Diehl Road Aurora, IL 60502 Phone: 630.806.7062

Fax: 630.806.7065 www.controls.com





1. Motor Contr	Commercial Products from Control Solutions LLC	
Part Number	Item Name	List Price
CS1108X	PROGRAMMABLE MOTOR CONTROLLER The CS1108 is a commercial industrial-grade DC motor controller with programmable PWM functionality. Designed to operate a 12v-24 VDC motor. This small form-factor controller can be embedded in many OEM products and can be used in a wide variety of applications and is programmable for different acceleration profiles.	Call For Pricing
CS3208X	DC MOTOR CONTROLLER The CS3208 is a hardened industrial-grade DC motor controller with programmable PWM functionality. Designed to operate a 24 VDC motor. This motor control can be used in a wide variety of applications and is programmable for different acceleration profiles.	\$6,995
CS3308X	DC MOTOR CONTROLLER The CS3308 LVSR is a programmable, hardened industrial-grade DC PWM motor controller that incorporates a long neck break-away connector for 24V power. This motor control can be used in a wide variety of applications and is programmable for different acceleration profiles.	\$6,995
CS3248X	PROGRAMMABLE DC MOTOR CONTROLLER The CS3248 is the 2nd-generation motor controller from the CS3208 family and is equally applicable for usages in industrial and commercial usages where robust motion control is required.	\$6,395
CS1107X	PROGRAMMABLE MOTOR CONTROLLER The CS1107 is a different form factor for the CS1108 PWM controller for DC motor applications and can be reprogrammed in firmware for a wide variety of industrial applications.	\$289
CS3217X	DC MOTOR CONTROLLER The CS3217 is a modified CS3208 controller where the software profile has been preset by the CSLLC engineers. It can be reprogrammed in firmware for a wide variety of industrial applications.	\$7,099
CS3225X	DC MOTOR CONTROLLER (SLIM-FIT) The CS3225 is the DC-powered motor controller originally designed to fit within the cavity of a vehicle door (slim form factor) using programmable PWM technology. This controller has a built-in battery charger with onboard battery level status indicator.	\$4,295
CS3226X	DC MOTOR CONTROLLER The CS3226 is a modified CS3248 DC-powered motor controller designed to fit within a small cavity and can be surface-mounted while retaining access to all connections.	\$4,800
CS3266	DC MOTOR CONTROLLER The CS3266 has been developed for industrial and commercial applications in tough environments and harsh conditions. For use with the CS3267 Joystick-Switch Actuator.	\$3755
2. User Interfac	ce Controls	
ASM000351X	EMERGENCY SWITCH The ASM000351x is a push-pull switch that is a waterproof assembly useable as an emergency stop switch for harsh environments. The emergency stop switch can be placed virtually anywhere on your custom application to provide easy access.	\$929
ASM000355X	DOOR-MOUNTED TOGGLE SWITCH Hermetically-sealed enclosure. This is a four-switch assembly consisting of two SPDT toggle switches with momentary contact plus two SPST toggle switches. It can be used for a wide variety of commercial applications. The assembly terminates in Amphenol connectors for wiring to other ruggedized systems.	\$899

Specifications and pricing subject to change without notice.

Continued on page 3



CS2150X	VEHICLE POWER MODULE FOR AUXILIARY DEVICES The CS2150 is a microprocessor-based power distribution module capable of providing multiple power outlets from a common 24V battery power source. Each output is switch-controlled. Outputs are provided for 24V, 12V, and 5V USB.	\$ 3,729
CS3209X	JOYSTICK ACTUATOR The CS3209 is a single-axis joystick (left-right or up-down motion) that has been developed for industrial and commercial applications in tough environments and harsh conditions	\$2,195
CS3218X	JOYSTICK ACTUATOR AND CONTROL The CS3218 is a rugged small form-factor two direction joystick controller that can be used in conjunction with a CS motor controller in rugged environments.	\$8500
CS3210X	HEAVY-DUTY THUMB-DRIVEN WATERPROOF ACTUATOR Heavy-duty thumb-driven waterproof actuator that can be mounted to industrial equipment to vary the speed of motor control modules. Requires the use of ASM001175A cable assembly	\$1,249
CS3267	JOYSTICK-SWITCH ACTUATOR The CS3267 has been developed for industrial and commercial applications in tough environments and harsh conditions. For use with the CS3266 Command Center Controller.	\$2237
CS3310X	HEAVY-DUTY FINGERTIP TOGGLE ACTUATOR Heavy-duty fingertip toggle actuator with variable-output that controls CSLLC motor control modules. Can be mounted to commercial or industrial equipment for easy manipulation.	\$1,429
CS3320X	INDUSTRIAL CONTROL ACTUATOR Industrial control actuator with mounting bracket. Fingertip toggle actuator with built-in cable connects to motor control modules to vary fwd/rev speeds.	\$1,449
CS3330X	HEAVY-DUTY FINGERTIP TOGGLE ACTUATOR Industrial fingertip toggle actuator for forward-reverse motor controllers. Provides variable-output that controls CSLLC motor control modules. Comes complete with hook & loop mounting for commercial or industrial equipment.	\$1,429
3. Battery Charg	gers & Batteries	
CS4102X	BATTERY ASSEMBLY The CS4102 is a 24V 3Ah NiMh rechargeable battery pack designed for heavy duty applications. The CS4102 is capable of a peak current drain of 50 amps. The NiMh batteries are designed for long service life and have an expected lifetime of 500 cycles.	\$1,175
CS1204X	BATTERY CHARGER The CS1204 charger is a commercial/industrial market charger for 12V battery banks. This charger is also available in a UL-certified version.	\$349
4. Cables and C	Other	
ASM000560X	SAFETY STRIP SENSOR The ASM000560 sensor strip is a six-section assembly used to stop the motor controller from pinching body parts in vehicle door frames. The 560 is designed for the left-hand doors of industrial and military vehicles.	\$1,900
ASM000561X	SAFETY STRIP SENSOR The ASM000561 sensor strip is a six-section assembly used to stop the motor controller from pinching body parts in vehicle door frames. The 561 is designed for the right-hand doors of industrial and military vehicles.	\$1,900
ASM000540X	RUGGED POWER CABLE The ASM000540 cable is a industrial grade assembly used to connect the CS motor controller to various operator interfaces. This cable can be adapted with different vehicle power terminations.	\$425

Specifications and pricing subject to change without notice.

Continued on page 4



	Lieuwa - Baure and - Mariani	
ASM000130X	VEHICLE POWER CABLE ASSEMBLY The ASM000130 cable is an industrial grade assembly used to connect the motor controller from the vehicle power bus to the fuse. This cable can be adapted with different vehicle power terminations	\$69
ASM000125X	BATTERY POWER CABLE ASSEMBLY The ASM000125 cable is an industrial grade assembly used to connect the auxiliary batteries to the fuse negative terminal. This cable can be adapted with different vehicle power terminations.	\$34
ASM000216X	VEHICLE POWER CABLE ASSEMBLY The ASM000216 cable is an industrial grade assembly designed for the breakaway connection to the motor controller. The breakaway connector is a standard 2-wire battery connector commonly used for forklift truck batteries.	\$299
ASM000131X	VEHICLE POWER CABLE ASSEMBLY The ASM000131 cable is an industrial grade assembly used to connect the auxiliary batteries to the fuse positive terminal. This cable can be adapted with different vehicle power terminations.	\$59
ASM000135B	VEHICLE POWER CABLE ASSEMBLY The ASM000135B ia a 24 volt DC power cable with 2 #6AWG conductors in heat shrink tubing terminating in Amphenol 2-pin connector Mil-C-5015	\$448
ASM000363X	POWER-CONTROL CABLE The ASM000363 is an industrial grade insulated cable provides power to motor controller assembly. This cable is 59" long with 8 conductors.	\$410
ASM000364X	POWER-CONTROL CABLE The ASM000364 is an industrial grade insulated cable provides power to motor controller assembly. This cable is 123" long with 8 conductors.	\$520
ASM000414X	POWER-CONTROL CABLE The ASM000414 is an industrial grade insulated battery cable provides power to motor controller assembly. This cable is 23" long with 2 conductors.	\$220
ASM001175X	JOYSTICK/THUMB CABLE The ASM001175 is an industrial grade insulated connection cable that provides a connection between motor controller and joystick or thumb drive. This cable is 57" long with 3 conductors.	\$425
CS2144-ASM	TRAVERSE POWER CIRCUIT BREAKER The CS2144-ASM is an industrial grade 60 Amp DC automatic reset circuit breaker.	\$3,900
CS002861X photo not available	JOYSTICK MOUNTING BRACKET The CS002861 is an industrial grade mounting bracket for CS3218 joystick.	\$34
002861B photo not available	Mounting Bracket, ASV Turret Joystick Box	\$73.41
002963A photo not available	Rubber Pad, 2.38" x 1.5", ASV Circuit Box	\$2.85

Specifications and pricing subject to change without notice.

Page 4 F-0047-22



5. Medical Prod	uct Line	
CS6101X	ELECTRIC MUSCLE STIMULATOR The CS6101 is a clinical-grade portable electrical muscle stimulator using the interferential protocol. This product requires a doctor's prescription per FDA 510(k) clearance.	Call For Pricing
CS6102X	ELECTRIC MUSCLE STIMULATOR The CS6102 is a clinical-grade portable electrical muscle stimulator using the high voltage galvanic protocol. This product requires a doctor's prescription per FDA 510(k) clearance.	Call For Pricing

	NONE for Come Code 4DOD4	
	NSN's for Cage Code = 4B8D1	
Part Number	Item Name	NSN
CS3209B	JOYSTICK,DATA ENTRY	1290015524497
CS3208B	CONTROLLER,MOTOR	6110015524505
ASM000135	CABLE ASSEMBLY,SPECIAL PURPOSE	6150015600229
ASM000135B	CABLE ASSEMBLY,SPECIAL PURPOSE	6150015600229
ASM000134	CABLE ASSEMBLY,SPECIAL PURPOSE	6150015600238
ASM001175A	CABLE ASSEMBLY,SPECIAL PURPOSE	6150015600238
ASM000127	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600249
ASM000127B	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600249
ASM000130	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600255
ASM000130B	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600255
ASM000125	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600279
ASM000131	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600284
ASM000131B	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600284
ASM000216	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015600297
CS3217	CONTROL,INFRARED SET	5855015609102
CS3217A	CONTROL,INFRARED SET	5855015609102
ASM000355A	SWITCH,ELECTRONIC	5930015684441
ASM000355E	SWITCH, ELECTRONIC	5930015684441
ASM000364A	CABLE, POWER, ELECTRICAL	6145015684442
ASM000364B	CABLE,POWER,ELECTRICAL	6145015684442
CS3225	CONTROL BOX,ELECTRICAL/ELECTRONI	2540015684448
CSI-CS3225	CONTROL BOX,ELECTRICAL/ELECTRONI	2540015684448
CSI-CS4102	BATTERY ASSEMBLY	6140015696570
ASM000363A	CABLE ASSEMBLY,CONTROL	2590015707232
ASM000363D	CABLE ASSEMBLY,CONTROL	2590015707232
CSI-CS3241	DOOR, VEHICULAR	2510015730461
CSI-CS3240	DOOR, VEHICULAR	2510015730464
CS3218	JOYSTICK CONTROL	5999015738843
12504382	KIT,CAPACITOR REPLACEMENT	5910015745562
ASM000540C	ASV CABLE ASSEMBLY	-
ASM000560A	SENSOR,CURRENT	6625015749838
ASM000560C	SENSOR,CURRENT (duplicate NSN?)	6625015749838
ASM000561A	SAFETY STRIP SENSOR	2590015749859
ASM000561C	SAFETY STRIP SENSOR	2590015749859
ASM000351D	SWITCH, PUSH-PULL	5930015750786
CSI-ASM000351A	SWITCH, PUSH-PULL	5930015750786
AMS000414A	CABLE ASSEMBLY, SPECIAL PURPOSE	6150015873182
AMS000414A	CABLE ASSEMBLY, SPECIAL PURPOSE CABLE ASSEMBLY, SPECIAL PURPOSE	6150015873182
	·	
CS3248	CONTROLLER, MOTOR	6110015928676
CS3249	CONTROLLER, MOTOR	-



Power Door System

For Armored Vehicles

U.S. Military Field-proven Products

PDS components listed below are available commercially for purchase. Pricing depends on vehicle and/or customer requirements.

Please call for a quote on your specific application: 630 806-7062 Ext. 206

		Power Door Sy	ystem CS341	2	
CS	3404 Left I	Door	CS	3405 Right	Door
	Part No.	Description		Part No.	Description
	CS3404	Power Door System – Left		CS3405	Power Door System – Right
	CS3225-1	In Door Controller		CS3225-1	In Door Controller
	ASM001553	Hydraulics Assembly		ASM001552	Hydraulics Assembly
2	CS4102	Battery	2	CS4102	Battery
	ASM000994	E-Stop Switch Assembly		ASM000994	E-Stop Switch Assembly
5 segment shown	ASM001286	Safety Strip Sensor Assembly	5 segment shown	ASM001286	Safety Strip Sensor Assembly
No Photo	CS3410	Hardware Kit	No Photo	CS3410	Hardware Kit

Specifications and pricing subject to change without notice.

Page 6 F-0047-2

CONTROL SOLUTIONS LLC... 2520 Diehl Road, Aurora, Illinois 60502 Tel: 630.806.7062 Fax: 630.806.7065 www.controls.com

Special Order Price List

The majority of our products are sold through OEMs who integrate our products into other systems. Some of our products are commercially-available and can be referenced by reviewing the table listed below. Prices reflect our published cost for products. Contact us for an updated pricing quote. Call: 630 806-7062 Ext. 206

Model # Series	FII010	Description	Co Part Number		Compliant with Fart Number	Non Number	FIIGE
	•(JOYSTICK ACTUATOR	CS3209A	Green	6W728-6440293-01M1	ı	\$2,195
00000	•	The CS3209 Series Joysticks are a single-axis joystick (left-right or up-down	CS3209A-1	Green	19200-13064341-G	-	\$2,195
603660	7	motion) that has been developed for industrial and commercial applications in	CS3209B	Tan	6W728-6440293-200M1	1290-01-552-4497	\$2,195
		tough environments and harsh conditions.	CS3209B-1	Tan	19200-13064341	-	\$2,195
		ITDS: PROGRAMMABLE DC MOTOR CONTROLLER	CS3248C	Tan	6W728-6459609-200M1	1	\$6,395
070000		The CS3248 Series is a 2nd-generation controller for the Improved Turret Drive	CS3248C-1	Tan	19200-13064367	ı	\$6,395
033240	6	System with a higher capcity motor, one additional control input and an external	CS3248D	Green	6W728-6459609-01M1	1	\$6,395
		programming port.	CS3248D-1	Green	19200-13064367-G	1	\$6,395
		LRAS: LOW PROFILE DC MOTOR CONTROLLER	CS3249-1	Tan	1	1	\$6,895
070000		The CS3249 Series has the input/output and power ports that are located on the	CS3249G-1	Green	I	ı	\$6,895
643650		side of controller as opposed to the top. The top has special standoff mounting					1
		plate.					1
		BATTERY POWER CABLE ASSEMBLY	ASM000125B	ı	ı	6150-01-560-0279	\$34
A SMOOO125B		The ASM000125B cables are an industrial grade assembly used to connect the	ASM000125B-1	1	19200-13064354	ı	\$34
		auxiliary batteries to the fuse negative terminal. This cable can be adapted with	ASM000125B-2	I	6W728-6432542-01M1	I	\$34
		different vehicle power terminations.					
			ASM000127B	I		6150-01-560-0249	Call
ASM000127B		CABLE ASSEMBLY		ı	19200-13064353	I	Call
		The ASM000127B cables are an breakaway cable to vehicle BUS cable assembly.	ASM000127B-2	1	6W728-6432538-01M1	1	Call
							ı
	(VEHICLE POWER CABLE ASSEMBLY	ASM000216A	-	-	6150-01-560-0297	\$299
A SMOOO216A	4	The ASM000216A cables are an industrial grade assembly designed for the	ASM000216A-1	1	19200-13064352	ı	\$299
		breakaway connection to the motor controller. The breakaway connector is a	ASM000216A-2	ı	6W728-6435382-01M1	I	\$299
)	standard 2-wire battery connector commonly used for forklift truck batteries.					I
		VEHICLE POWER CABLE ASSEMBLY	ASM000130B	1	1	6150-01-560-0255	69\$
A SMOOO130B		The ASM000130B cables are an industrial grade assembly used to connect the	ASM000130B-1	1	19200-13064349	1	69\$
		motor controller from the vehicle power bus to the fuse. This cable can be adapted	ASM000130B-2	1	6W728-6432541-01M1	1	69\$
		with different vehicle power terminations.					ı
		VEHICLE POWER CABLE ASSEMBLY	ASM00131B	ı		6150-01-560-0284	\$59
ASM000131B		The ASM000131B cables are an industrial grade assembly used to connect the	ASM00131B-1	ı	19200-13064348	-	\$29
		auxiliary batteries to the fuse positive terminal. This cable can be adapted with	ASM00131B-2	1	6W728-6432543-01M1	1	\$59
		different vehicle power terminations.					I
		VEHICI E DOWER CARI E ASSEMBLY	ASM000135B	1	ı	6150-01-560-0229	\$448
ASM000135B		The ASMOON135B cabels are a 24 volt DC nower cable with 2 #6AWG conductors	-	ı	19200-13064351	ı	\$448
		in heat shrink tuhing terminating in Amphenol 2-pin connector Mil-C-5015	ASM000135B-2	ı	6W728-6432531-01M1	ı	\$448
)						
		JOYSTICK/THUMB CABLE	ASM001175A	ı		6150-01-560-0238	\$425
ASM001175		-	ASM001175A-1	1	19200-13064350	ı	\$425
20000)	provides a connection between motor controller and joystick or thumb drive. This	ASM001175A-2	1	6W728-6432535-01M1	1	\$425
)	cable is 57" long with 3 conductors.					1

Specifications subject to change without notice.





Control Solutions LLC corporate headquarters and manufacturing located in the western suburbs of Chicago, Illinois

This is our published commercial price list for our products. As such, list prices are effective as of 1/29/2022 and are subject to change without notice. Prices do not include applicable taxes, shipping & handling. To check the most accurate and latest list price, please contact us. If you send us a written Purchase Order based on this price list, we will respond with a firm fixed-price quotation. Each quotation will have a stated "valid until" date range. Additionally, stair-step quantity discount pricing is available for all of our products. Please contact us at:

Control Solutions LLC 2520 Diehl Road Aurora, IL 60502 Phone: 630.806.7062 Ext. 206

Fax: 630.806.7065 www.controls.com Email: sales@controls.com











